

DoD Civilian Personnel Management Service
1400 Key Boulevard, Suite B200
Arlington, VA 22209-5144

Department of Defense Special Salary Rate Authorization

Table Number: E021

Issue Date: December 13, 2002

Occupation: Lead Diagnostic Radiologic Technologist (CT), GS-0647

Type of Adjustment: Authorization of New Special Salary Rate

DoD Installation(s) Covered: William Beaumont Army Medical Center

Authority: Section 8026 of Public Law 107-117, January 10, 2002

Annual Rates Authorized:

| Grade | Step 1 | Step 2 | Step 3 | Step 4 | Step 5 | Step 6 | Step 7 | Step 8 | Step 9 | Step 10 | Step Inc |
|-------|----------|--------|--------|--------|--------|--------|--------|--------|--------|---------|----------|
| 09 | \$44,783 | 45,931 | 47,079 | 48,227 | 49,375 | 50,523 | 51,671 | 52,819 | 53,967 | 55,115 | 1,148 |

Geographic Locations(s):

| State | City | County | Location Name(s) | State |
|-------|------|--------|------------------|-------|
| 048 | 2190 | 141 | El Paso | TX |

Effective the first day of the pay period beginning on or after December 8, 2002.

GARY L. MEADOWS
Chief
Wage and Salary Division