

**DoD Civilian Personnel Management Service**  
**1400 Key Boulevard, Suite B200**  
**Arlington, VA 22209-5144**  
**Department of Defense Special Salary Rate Authorization**

Table Number: D097

Issue Date: December 23, 2008

Occupation: Diagnostic Radiology Technologist, GS-0647

Type of Adjustment: Annual Review Adjustment

DoD Installation(s) Covered: Naval Hospital Pensacola, FL  
Branch Medical Center Pensacola, FL  
Whiting Field, Milton, FL

Authority: DoD 1400.25 - M, SC530

**Annual Rates Authorized:**

<u>Grade</u>	<u>Step 1</u>	<u>Step 2</u>	<u>Step 3</u>	<u>Step 4</u>	<u>Step 5</u>	<u>Step 6</u>	<u>Step 7</u>	<u>Step 8</u>	<u>Step 9</u>	<u>Step 10</u>	<u>Step Inc</u>
07	\$41,289	42,405	43,521	44,637	45,753	46,869	47,985	49,101	50,217	51,333	1,116
08	\$44,491	45,727	46,963	48,199	49,435	50,671	51,907	53,143	54,379	55,615	1,236

**Geographic Location(s):**

<u>State</u>	<u>City</u>	<u>County</u>	<u>Location Name(s)</u>	<u>State</u>
12	2156	033	Naval Hospital Pensacola	FL
12	2070	113	Whiting Field, Milton	FL

Effective the first day of the pay period beginning on or after January 1, 2009.

Supersedes table issued May 8, 2008.

R. CRAIG JERABEK  
Chief  
Wage and Salary Division