

**Defense Civilian Personnel Advisory Service  
1400 Key Boulevard, Suite B200  
Arlington, VA 22209-5144**

**Department of Defense Special Salary Rate Authorization**

Table Number: D097

Issue Date: December 23, 2011

Occupation: Diagnostic Radiology Technologist, GS-0647

Type of Adjustment: Annual Review Adjustment

DoD Installation(s) Covered: Naval Hospital Pensacola, FL  
Branch Medical Center Pensacola, FL  
Whiting Field, Milton, FL

Authority: DoD 1400.25-M, SC530

**Annual Rates Authorized:**

<u>Grade</u>	<u>Step 1</u>	<u>Step 2</u>	<u>Step 3</u>	<u>Step 4</u>	<u>Step 5</u>	<u>Step 6</u>	<u>Step 7</u>	<u>Step 8</u>	<u>Step 9</u>	<u>Step 10</u>	<u>Step Inc</u>
07	\$41,910	43,043	44,176	45,309	46,442	47,575	48,708	49,841	50,974	52,107	1,133
08	\$45,155	46,409	47,663	48,917	50,171	51,425	52,679	53,933	55,187	56,441	1,254

**Geographic Location(s):**

<u>State</u>	<u>City</u>	<u>County</u>	<u>Location Name(s)</u>	<u>State</u>
12	2156	033	Naval Hospital Pensacola	FL
12	2070	113	Whiting Field, Milton	FL

Effective the first day of the pay period beginning on or after January 1, 2012.

Supersedes table issued December 30, 2010.

  
R. CRAIG JERABEK  
Chief  
Wage and Salary Branch